


BEST AVAILABLE COPY

BIOTECHNOLOGY
SYSTEMS
BRANCH



RAW SEQUENCE LISTING
ERROR REPORT

#5

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 09/496,231

Source: 16/5

Date Processed by STIC: 9/12/2000

RECEIVED

18 2000

CENTER 1600/2900

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY
EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT
COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY
or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT,
WITH A NOTICE TO COMPLY

FOR FURTHER INFORMATION, PLEASE TELEPHONE MARK SPENCER,
703-308-4212.

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER
VERSION 3.0 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND
TRADEMARK OFFICE WEBSITE. SEE BELOW:

Checker Version 3.0

The Checker Version 3.0 application is a state-of-the-art Windows based software program employing a logical and intuitive user-interface to check whether a sequence listing is in compliance with format and content rules. Checker Version 3.0 works for sequence listings generated for the original version of 37 CFR §§1.821 – 1.825 effective October 1, 1990 (old rules) and the revised version (new rules) effective July 1, 1998 as well as World Intellectual Property Organization (WIPO) Standard ST.25.

Checker Version 3.0 replaces the previous DOS-based version of Checker, and is Y2K-compliant. Checker allows public users to check sequence listings in Computer Readable form (CRF) before submitting them to the United States Patent and Trademark Office (USPTO). Use of Checker prior to filing the sequence listing is expected to result in fewer errored sequence listings, thus saving time and money.

Checker Version 3.0 can be down loaded from the USPTO website at the following address:

<http://www.uspto.gov/web/offices/pac/checker>

BEST AVAILABLE COPY